



**GLITTER UNIQUE**  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
MSDS@GLITTERUNIQUE.COM

June 14, 2024

## SAFETY DATA SHEET

### 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: ProColor Turquoise Gem  
CAS Number: Mixture  
Application: Industrial use only  
Supplied by: Glitter Unique  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
Email: [MSDS@GLITTERUNIQUE.COM](mailto:MSDS@GLITTERUNIQUE.COM)

### 2. HAZARDS IDENTIFICATION

Eye contact: May cause irritation  
Ingestion: May be harmful if swallowed  
Inhalation: May be irritating to the respiratory system  
Skin contact: May cause irritation

### 3. INFORMATION ON INGREDIENTS

| Components                   | CAS Number | Weight %    |
|------------------------------|------------|-------------|
| Ethyl Acetate                | 141-78-6   | 40-45       |
| Nitrocellulose               | 9004-70-0  | 20-25       |
| Isopropyl Alcohol            | 67-63-0    | 5-10        |
| Butyl Acetate                | 123-86-4   | 5-10        |
| Acetyl Tributyl Citrate      | 77-90-7    | 5-10        |
| Pigment Yellow 115           | 68814-04-0 | Proprietary |
| Ferric Ammonium Ferrocyanide | 25869-00-5 | Proprietary |
| FD&C Yellow 5 Aluminum Lake  | 12225-21-7 | Proprietary |

### 4. FIRST AID MEASURES



June 14, 2024

---

## SAFETY DATA SHEET

---

|                        |                                                                                                                             |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| Eye contact:           | Rinse immediately with plenty of water, also under eyelids for at least 15 min. If irritation persist, consult a physician. |
| Ingestion:             | Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician                          |
| Inhalation:            | Remove to fresh air. Consult a physician                                                                                    |
| Skin contact:          | Wash affected area                                                                                                          |
| Aggravated conditions: | No data available                                                                                                           |

### 5. FIREFIGHTING MEASURES

|                         |                                                                                                    |
|-------------------------|----------------------------------------------------------------------------------------------------|
| Flash Point (°C):       | -4                                                                                                 |
| Extinguishing media:    | Water spray, dry chemical, carbon dioxide, alcohol resistant foam. DO NOT use direct water stream. |
| Specific Hazards:       | Keep away from heat and sources of ignition.                                                       |
| Fire Fighting:          | Wear self-contained breathing apparatus and protective suit                                        |
| OSHA Flammability Class | IB                                                                                                 |

### 6. ACCIDENTAL RELEASE MEASURES

|                                    |                                              |
|------------------------------------|----------------------------------------------|
| Personal precautions:              | Follow your internal emergency response plan |
| Environmental precautions:         | Follow your internal emergency response plan |
| Procedure for cleaning/absorption: | Follow your internal emergency response plan |

### 7. HANDLING AND STORAGE

|           |                                                                        |
|-----------|------------------------------------------------------------------------|
| Handling: | Handle in accordance with good industrial hygiene and safety practice. |
| Storage:  | Keep in dry, cool and well-ventilated place.                           |



June 14, 2024

## SAFETY DATA SHEET

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Component         | OSHA PEL                                  | ACGIH TLV                   |
|-------------------|-------------------------------------------|-----------------------------|
| Ethyl Acetate     | 400 PPM TWA<br>1400 MG/M <sup>3</sup> TWA | 400 PPM TWA                 |
| Nitrocellulose    | No applicable<br>information is available | 400 TWA PPM                 |
| Isopropyl Alcohol | 400 PPM TWA<br>980 MG/M <sup>3</sup> TWA  | 400 PPM STEL<br>200 PPM TWA |
| Butyl Acetate     | 150 PPM TWA<br>710 MG/M <sup>3</sup> TWA  | 200 PPM STEL<br>150 PPM TWA |

Engineering controls: Use only in area provided with appropriate exhaust ventilation

Respiratory Protection: In case of insufficient ventilation, wear Niosh-approved respiratory equipment.

Gloves protection: Wear appropriate protective gloves

Eye Protection: Wear appropriate eye protection

Skin and body protection: Body protection as necessary to prevent skin contact

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

#### HMIS Classification

Health: 2

Flammability: 3

Reactivity: 0

Personal protection: X

### 9. PHYSICAL AND CHEMICAL PROPERTIES

Color: Green



**GLITTER UNIQUE**  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
MSDS@GLITTERUNIQUE.COM

---

June 14, 2024

## **SAFETY DATA SHEET**

---

|                      |           |
|----------------------|-----------|
| Physical state:      | Liquid    |
| Specific gravity:    | No Data   |
| Boiling point ( C ): | N/A       |
| Odor:                | Solvent   |
| Flash point ( C ):   | -4° C     |
| Flash point method:  | Closed up |

### **10. STABILITY AND REACTIVITY**

|                                   |                                                                                                                      |
|-----------------------------------|----------------------------------------------------------------------------------------------------------------------|
| Stability:                        | Stable under recommended storage conditions                                                                          |
| Polymerization:                   | Will not occur                                                                                                       |
| Condition to avoid:               | Direct heating, dirt, chemical contamination, sunlight, UV or Ionizing radiation, freezing temperatures              |
| Material to avoid:                | No data available                                                                                                    |
| Hazardous decomposition products: | Thermal decomposition and burning may produce carbon monoxide, carbon dioxide, nitrogen oxides, and other compounds. |

### **11. TOXICOLOGICAL INFORMATION**

This product has not undergone any toxicological studies.

### **12. ECOLOGICAL INFORMATION**

This product has not undergone any Eco toxicological studies.

### **13. DISPOSAL CONSIDERATIONS**

|                 |                                                                          |
|-----------------|--------------------------------------------------------------------------|
| Waste disposal: | Dispose of in accordance with all federal, state, and local regulations. |
|-----------------|--------------------------------------------------------------------------|



**GLITTER UNIQUE**  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
MSDS@GLITTERUNIQUE.COM

---

June 14, 2024

## **SAFETY DATA SHEET**

---

EEC Waste code: Not determined

### **14. TRANSPORT INFORMATION**

#### **USDOT:**

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

USDOT proper shipping name: Paint

UDDOT hazard class: 3

USDOT packing group: II

#### **ICAO/IATA:**

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

IATA proper Shipping name: Paint

IATA hazard class: 3

IATA packing group: II

#### **IMO:**



**GLITTER UNIQUE**  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
MSDS@GLITTERUNIQUE.COM

June 14, 2024

## SAFETY DATA SHEET

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

IMDG Proper Shipping name: Paint

IMDG hazard class: 3

IMDG packing group: II

Flash point: : (-4° C)

EMS No: : F-E,S-E

### 15. REGULATORY INFORMATION

#### INTERNATIONAL REGULATORY RULES:

No component of this product is included on an international regulatory list of interest above its reporting threshold value.

#### U. S REGULATORY RULES

| COMPONENT:    | CERCLA/SAR A – SECTION 302 EXTREMELY HAZARDOUS SUBSTANCES & TPQS | CERLA/SARA – HAZARDOUS SUBSTANCES & RQ | DOT REPORTABLE QUANTITY | NTP – KNOWN AND ANTICIPATED CARCINOGENS |
|---------------|------------------------------------------------------------------|----------------------------------------|-------------------------|-----------------------------------------|
| Ethyl Acetate |                                                                  | 5000 LB<br>2270 LB                     | 5000 LB<br>2270 LB      |                                         |
| Butyl Acetate |                                                                  | 5000 LB<br>2270 LB                     | 5000 LB<br>2270 LB      |                                         |



**GLITTER UNIQUE**  
1032 N. Crooks Rd. Suite M  
Clawson, MI 48017 USA  
Tel: 248-825-9694  
MSDS@GLITTERUNIQUE.COM

June 14, 2024

## SAFETY DATA SHEET

### STATE REGULATORY RULES:

| COMPONENT            | MASSACHUSETTS<br>RIGHT<br>TO KNOW LIST | NEW<br>JERSEY<br>RIGHT<br>TO KNOW<br>LIST | PENNSYLVANIA<br>RIGHT<br>TO KNOW LIST |
|----------------------|----------------------------------------|-------------------------------------------|---------------------------------------|
| Ethyl Acetate        | PRESENT                                | PRESENT                                   | PRESENT                               |
| Butyl Acetate        | PRESENT                                | PRESENT                                   | PRESENT                               |
| Nitrocellulose       | PRESENT                                | PRESENT                                   | PRESENT                               |
| Isopropyl<br>Alcohol | PRESENT                                | PRESENT                                   | PRESENT                               |

### 16. OTHER INFORMATION

This information is supplied and offered in good faith based on data available to us that we believe is true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review recommendations in the specific context of the intended use and determine the accuracy of this data, the hazards connected with the use of material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.