



GLITTER UNIQUE
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name: ProColor Cosmetic Ultramarine Blue
CAS Number: Mixture
Application: Industrial use only
Supplied by: Glitter Unique
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
Email: MSDS@GLITTERUNIQUE.COM

2. HAZARDS IDENTIFICATION

Eye contact: May cause irritation
Ingestion: May be harmful if swallowed
Inhalation: May be irritating to the respiratory system
Skin contact: May cause irritation

3. INFORMATION ON INGREDIENTS

| Components | CAS Number | Weight % |
|---------------------------|------------|----------|
| Butyl Acetate | 123-86-4 | 20-40 |
| CI 77007 Ultramarine Blue | 57455-37-5 | 30-35 |
| Ethyl Acetate | 141-78-6 | 10-20 |
| Nitrocellulose | 9004-70-0 | 10-20 |
| Isopropyl Alcohol | 67-63-0 | 3-5 |

4. FIRST AID MEASURES

Eye contact: Rinse immediately with plenty of water, also under eyelids for at least 15 min. If irritation persist, consult a physician.



GLITTER UNIQUE
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

Ingestion: Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician

Inhalation: Remove to fresh air. Consult a physician

Skin contact: Wash affected area

Aggravated conditions: No data available

5. FIREFIGHTING MEASURES

Flash Point (°C): -4

Extinguishing media: Water spray, dry chemical, carbon dioxide, alcohol resistant foam. DO NOT use direct water stream.

Specific Hazards: Keep away from heat and sources of ignition.

Fire Fighting: Wear self contained breathing apparatus and protective suit

OSHA Flammability Class IB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Follow your internal emergency response plan

Environmental precautions: Follow your internal emergency response plan

Procedure for cleaning/absorption: Follow your internal emergency response plan

7. HANDLING AND STORAGE

Handling: Handle in accordance with good industrial hygiene and safety practice.

Storage: Keep in dry, cool and well-ventilated place.



May 7, 2024

SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

| Component | OSHA PEL | ACGIH TLV |
|-------------------|---|-----------------------------|
| Butyl Acetate | 150 PPM TWA 710 MG/M ³ TWA | 200 PPM STEL 150 PPM TWA |
| Ethyl Acetate | 400 PPM TWA 1400 MG/M ³ TWA | 400 PPM TWA |
| Nitrocellulose | No applicable information is available | 400 TWA PPM |
| Isopropyl Alcohol | 400 PPM TWA 980 MG/M ³ TWA | 400 PPM STEL 200 PPM TWA |

| | |
|---------------------------|---|
| Engineering controls: | Use only in area provided with appropriate exhaust ventilation |
| Respiratory Protection: | In case of insufficient ventilation, wear Niosh-approved respiratory equipment. |
| Gloves protection: | Wear appropriate protective gloves |
| Eye Protection: | Wear appropriate eye protection |
| Skin and body protection: | Body protection as necessary to prevent skin contact |
| Hygiene measures: | Handle in accordance with good industrial hygiene and safety practice |

HMIS Classification

| | |
|----------------------|---|
| Health: | 2 |
| Flammability: | 3 |
| Reactivity: | 0 |
| Personal protection: | X |

9. PHYSICAL AND CHEMICAL PROPERTIES

| | |
|-----------------|--------|
| Color: | Blue |
| Physical state: | Liquid |



GLITTER UNIQUE
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

| | |
|----------------------|-----------|
| Specific gravity: | No Data |
| Boiling point (C): | N/A |
| Odor: | Solvent |
| Flash point (C): | -4° C |
| Flash point method: | Closed up |

10. STABILITY AND REACTIVITY

| | |
|-----------------------------------|--|
| Stability: | Stable under recommended storage conditions |
| Polymerization: | Will not occur |
| Condition to avoid: | Direct heating, dirt, chemical contamination, sunlight, UV or Ionizing radiation, freezing temperatures |
| Material to avoid: | No data available |
| Hazardous decomposition products: | Thermal decomposition and burning may produce carbon monoxide, carbon dioxide, nitrogen oxides, and other compounds. |

11. TOXICOLOGICAL INFORMATION

This product has not undergone any toxicological studies.

12. ECOLOGICAL INFORMATION

This product has not undergone any Eco toxicological studies.

13. DISPOSAL CONSIDERATIONS

| | |
|-----------------|--|
| Waste disposal: | Dispose of in accordance with all federal, state, and local regulations. |
| EEC Waste code: | Not determined |



GLITTER UNIQUE
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

14. TRANSPORT INFORMATION

USDOT:

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

USDOT proper shipping name: Paint

UDDOT hazard class: 3

USDOT packing group: II

ICAO/IATA:

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

IATA proper Shipping name: Paint

IATA hazard class: 3

IATA packing group: II

IMO:

Status: Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is



GLITTER UNIQUE
1032 N. Crooks Rd. Suite M
Clawson, MI 48017 USA
Tel: 248-825-9694
MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number: 1263

IMDG Proper Shipping name: Paint

IMDG hazard class: 3

IMDG packing group: II

Flash point: : (-4° C)

EMS No: : F-E,S-E

15. REGULATORY INFORMATION

INTERNATIONAL REGULATORY RULES:

Australia: All of the ingredients are listed on or compliant with the AICS Inventory

Canada: All of the ingredients are listed on or compliant with the DSL Inventory

China: All of the ingredients are listed on or compliant with the IECSC Inventory

Europe: For further information regarding REACH compliance of this product, please contact product stewardship team

Japan: All of the ingredients are listed on or compliant with the ENCS Inventory

Korea: All of the ingredients are listed on or compliant with the KECL Inventory

New Zealand: All of the ingredients are listed on or compliant with the NZIoC Inventory

Philippines: All of the ingredients are listed on or compliant with the PICCS Inventory

Taiwan: All of the ingredients are listed on or compliant with the TCS Inventory

United States: All of the ingredients are listed on or compliant with the TSCA Inventory



May 7, 2024

SAFETY DATA SHEET

STATE REGULATORY RULES:

| COMPONENT | MASSACHUSETTS RIGHT TO KNOW LIST | NEW JERSEY RIGHT TO KNOW LIST | PENNSYLVANIA RIGHT TO KNOW LIST |
|----------------------|--|---|---------------------------------------|
| Ethyl Acetate | PRESENT | 0841 | ENVIRONMENTAL HAZARD |
| Butyl Acetate | PRESENT | 1329 | ENVIRONMENTAL HAZARD |
| Nitrocellulose | PRESENT | 1366 | PRESENT |
| Isopropyl Alcohol | PRESENT | 1076 | PRESENT |

CANADIAN REGULATORY RULES:

| COMPONENT | WHMIS HAZARD CLASS |
|-------------------|--------------------|
| Ethyl Acetate | B2 |
| Butyl Acetate | B2 D2B |
| Nitrocellulose | B4 F |
| Isopropyl Alcohol | B2 D2B |

16. OTHER INFORMATION

This information is supplied and offered in good faith based on data available to us that we believe is true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review recommendations in the specific context of the intended use and determine the accuracy of this data, the hazards connected with the use of material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.