

GLITTER UNIQUE 1032 N. Crooks Rd. Suite M Clawson, MI 48017 USA Tel: 248-825-9694 MSDS@GLITTERUNIQUE.COM

May 7, 2024

SAFETY DATA SHEET

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product name:	ProColor Cosmetic White
CAS Number:	Mixture
Application:	Industrial use only
Supplied by:	Glitter Unique 1032 N. Crooks Rd. Suite M Clawson, MI 48017 USA Tel: 248-825-9694
Email:	MSDS@GLITTERUNIQUE.COM

2. HAZARDS IDENTIFICATION

Eye contact:	May cause irritation
Ingestion:	May be harmful if swallowed
Inhalation:	May be irritating to the respiratory system
Skin contact:	May cause irritation

3. INFORMATION ON INGREDIENTS

Components	CAS Number	Weight %
Titanium Dioxide	13463-67-7	40-45
Butyl Acetate	123-86-4	10-20
Ethyl Acetate	141-78-6	10-20
Acetyl Tributyl Citrate	77-90-7	10-15
Nitrocellulose	9004-70-0	10-15

4. FIRST AID MEASURES

Eye contact:

Rinse immediately with plenty of water, also under eyelids for at least 15 min. If irritation persist, consult a physician.



SAFETY DATA SHEET

Ingestion:	Do not induce vomiting. Never give anything by mouth to an unconscious person. Consult a physician
Inhalation:	Remove to fresh air. Consult a physician
Skin contact:	Wash affected area
Aggravated conditions:	No data available

5. FIREFIGTHING MEASURES

Flash Point (°C):	-4
Extinguishing media:	Water spray, dry chemical, carbon dioxide, alcohol resistant foam. DO NOT use direct water stream.
Specific Hazards:	Keep away from heat and sources of ignition.
Fire Fighting:	Wear self contained breathing apparatus and protective
	suit
OSHA Flammability Class	IB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Follow your internal emergency response plan
Environmental precautions:	Follow your internal emergency response plan
Procedure for cleaning/absorption:	Follow your internal emergency response plan

7. HANDLING AND STORAGE

Handling:	Handle in accordance with good industrial hygiene and safety practice.
Storage:	Keep in dry, cool and well-ventilated place.



SAFETY DATA SHEET

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Component	OSHA PEL	ACGIH TLV
Butyl Acetate	150 PPM TWA	200 PPM STEL
	710 MG/M ³ TWA	150 PPM TWA
Ethyl Acetate	400 PPM TWA	400 PPM TWA
	1400 MG/M ³ TWA	
Nitrocellulose	No applicable	400 TWA PPM
	information is available	
Isopropyl Alcohol	400 PPM TWA	400 PPM STEL
	980 MG/M ³ TWA	200 PPM TWA

Engineering controls:	Use only in area provided with appropriate exhaust ventilation	
Respiratory Protection:	In case of insufficient ventilation, wear Niosh- approved respiratory equipment.	
Gloves protection:	Wear appropriate protective gloves	
Eye Protection:	Wear appropriate eye protection	
Skin and body protection:	Body protection as necessary to prevent skin contact	
Hygiene measures:	Handle in accordance with good industrial hygiene and safety practice	
HMIS Classification		
Health:	2	
Flammability:	3	
Reactivity:	0	
Personal protection:	Х	
9. PHYSICAL AND CHEMICAL PROPERTIES		
Color:	White	

Color:	White
Physical state:	Liquid



SAFETY DATA SHEET

Specific gravity:	No Data
Boiling point (C):	N/A
Odor:	Solvent
Flash point (C):	-4° C
Flash point method:	Closed up

10. STABILITY AND REACTIVITY

Stability:	Stable under recommended storage conditions
Polymerization:	Will not occur
Condition to avoid:	Direct heating, dirt, chemical contamination, sunlight, UV or lonizing radiation, freezing temperatures
Material to avoid:	No data available
Hazardous decomposition products:	Thermal decomposition and burning may produce carbon monoxide, carbon dioxide, nitrogen oxides, and other compounds.

11. TOXICOLOGICAL INFORMATION

This product has not undergone any toxicological studies.

12. ECOLOGICAL INFORMATION

This product has not undergone any Eco toxicological studies.

13. DISPOSAL CONSIDERATIONS

Waste disposal:	Dispose of in accordance with all federal, state, and local regulations.
EEC Waste code:	Not determined



SAFETY DATA SHEET

14. TRANSPORT INFORMATION

USDOT:

Status:	Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.
UN/NA number:	1263
USDOT proper shipping name:	Paint
UDDOT hazard class:	3
USDOT packing group:	II
ICAO/IATA:	
Status:	Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.
UN/NA number:	1263
IATA proper Shipping name:	Paint
IATA hazard class:	3
IATA packing group:	II

Status:

Regulated. Shipping regulation is dependent on mode, carrier, packaging and the mass of the product that is packed per container. The information provided here is



SAFETY DATA SHEET

offered as a guide. Specific regulation should be reviewed prior to placing the material back into transportation.

UN/NA number:	1263
IMDG Proper Shipping name:	Paint
IMDG hazard class:	3
IMDG packing group:	II
Flash point:	: (-4° C)
EMS No:	: F-E,S-E

15. REGULATORY INFORMATION

INTERNATIONAL REGULATORY RULES:

Australia:	All of the ingredients are listed on or compliant with the AICS Inventory
Canada: China:	All of the ingredients are listed on or compliant with the DSL Inventory All of the ingredients are listed on or compliant with the IECSC Inventory
Europe:	For further information regarding REACH compliance of this product, please contact product stewardship team
Japan:	All of the ingredients are listed on or compliant with the ENCS Inventory
Korea:	All of the ingredients are listed on or compliant with the KECL Inventory
New Zealand:	All of the ingredients are listed on or compliant with the NZIoC Inventory
Philippines:	All of the ingredients are listed on or compliant with the PICCS Inventory
Taiwan: United States	All of the ingredients are listed on or compliant with the TCS Inventory All of the ingredients are listed on or compliant with the TSCA Inventory



SAFETY DATA SHEET

STATE REGULATORY RULES:

COMPONENT	MASSACHUSETTS RIGHT TO KNOW LIST	NEW JERSEY RIGHT TO KNOW LIST	PENNSYLVANIA RIGHT TO KNOW LIST
Ethyl Acetate	PRESENT	0841	ENVIRONMENTAL HAZARD
Butyl Acetate	PRESENT	1329	ENVIRONMENTAL HAZARD
Nitrocellulose	PRESENT	1366	PRESENT
Isopropyl Alcohol	PRESENT	1076	PRESENT

CANADIAN REGULATORY RULES:

COMPONENT	WHMIS HAZARD CLASS
Ethyl Acetate	B2
Butyl Acetate	B2 D2B
Nitrocellulose	B4 F
Isopropyl Alcohol	B2 D2B

16. OTHER INFORMATION

This information is supplied and offered in good faith based on data available to us that we believe is true and accurate. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review recommendations in the specific context of the intended use and determine the accuracy of this data, the hazards connected with the use of material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein.